



*Myco*  
Tooling Solution

## MYCO BORING SYSTEM



**MY-NBH-2084 BORING HEAD KIT**  
8 MM - 280 MM

MODEL	BORING RANGE D MIN - D MAX	PRICE ADAPTER	PRICE HEAD	PRICE BORING BAR EACH	PRICE COMPLETE KIT
BT40-NBH2084	8-280	8000	20000	3000	40000
BT50-NBH2084	8-280	12000	20000	3000	50000
SK40-NBH2084	8-280	10000	20000	3000	60000
SK50-NBH2084	8-280	15000	20000	3000	65000

**NBH2084 KIT = 1 ADAPTER + NBH2084 BORING HEAD + 8 BORING BAR + BOX**


BORING BAR MODEL	BORING RANGE D MIN - D MAX	DM	INSERT	SCREW	WRENCH
BJ2008-32	8 TO 11	32	TBGT0601..L	SB-1STR-M2	T6
BJ2010-40	10 TO 13	40			
BJ2012-53	12 TO 17	53			
BJ2016-68	16 TO 21	68	TPGH0902..L	SB-2TR-M2.5	T8
BJ2020-83	20 TO 125	83	TPGH1103..L		
BJ2025-96	25 TO 130	96			
BJ2030-115	30 TO 135	115			
BJ2020-L	120 TO 280	84+BT L1			

71/3, Rama Road, DHL Building,  
Near Kirti Nagar Metro Station, New Delhi - 110015 (INDIA)  
☎ 91-11-45541329, 📠 : 91-9212375182

Website : [www.paceindiatools.com](http://www.paceindiatools.com)  
E-mail : [paceindiaoffice@gmail.com](mailto:paceindiaoffice@gmail.com),  
[paceindiamkt@gmail.com](mailto:paceindiamkt@gmail.com)



## MY-CBH MICRO FINISH BORING HEAD



- ✦ CBH Finish Boring Head is suitable for fine boring with working range from  $\varnothing 20\text{mm}$  ~  $\varnothing 200\text{mm}$  on diameter.
- ✦ Every division for adjustment is 0.01mm on diameter.
- ✦ High precision lead screw and nut have been heat treated and hardened with high durability.
- ✦ Built-in coolant nozzle easy for chip removal and work cooling. Insert holder is with two-face support, free of vibration, which will also extend the working life of insert and ensure smoothness of working surface.

CBH BORING HEAD	BORING RANGE ★	LBK NO.	CBH HEAD PRICE	ENH CARTRIDGE ACCESSORIES	BORING RANGE	BACK BORING RANGE	INSERT
CBH20	20-26	LBK-1	18000	ENH1-1	20-26	-	TP08
				ENH1-2	25-31	30-31	TP08
				ENH1-3	30-36	30-36	TP08
CBH25	25-33	LBK-2	18000	ENH2-1	25-33	-	TP08
				ENH2-2	32-40	36-40	TP08
				ENH2-3	39-47	39-47	TP08
CBH32	32-42	LBK-3	20000	ENH3-1	32-42	-	TP08
				ENH3-2	41-51	46-51	TP08
				ENH3-3	50-60	50-60	TP08
CBH40	40-55	LBK-4	22000	ENH4-1	41-54	-	TP11
				ENH4-2	50-63	53-63	TP11
				ENH4-3	61-74	61-74	TP11
CBH52	52-75	LBK-5	25000	ENH5-1	53-70	62-70	TP11
				ENH5-2	65-82	65-82	TP11
				ENH5-3	78-95	78-95	TP11
CBH68	68-102	LBK-6	35000	ENH6-1	68-100	80-100	TP11
				ENH6-2	94-126	94-126	TP11
				ENH6-3	118-150	118-150	TP11
CBH100	100-152	LBK-6	45000	ENH6-1	100-153	112-153	TP11
				ENH6-2	126-179	126-179	TP11
				ENH6-3	150-203	150-202	TP11
CBH150	150-202	LBK-6	50000	ENH7-1	150-203	162-203	TP11
				ENH7-2	176-229	176-229	TP11
				ENH7-3	200-253	200-253	TP11


★ ALL CBH HAVE SINGLE CARTRIDGE ENH# -1

★ ENH# CARTRIDGE @3000 EACH SEPARATELY





## MY-RBH TWIN BIT ROUGH BORING HEAD




- ☑ Thickened cartridge with higher rigidity.
- ☑ Coolant nozzle easily cools the insert elongating its working life.
- ☑ Completed with chip pocket, improving chip flow of deep boring.
- ☑ Clamp plate solidifies cartridges and head, upgrading cutting rigidity.
- ☑ Patented step boring design; suitable for both level boring and step boring.

RBH BORING HEAD	STD. BORING	LBK NO.	INSERT NAME	RBH PRICE
RBH25-33-C	25-33	LBK-2	CCMT06	7500
RBH32-42-C	32-42	LBK-3	CCMT06	9000
RBH32-42-T			TCMT11	11000
RBH40-55-C	40-55	LBK-4	CCMT09	11000
RBH40-55-T			TCMT16	12000
RBH40-55-S			SCMT09	12000
RBH52-70-C	52-70	LBK-5	CCMT09	12000
RBH52-70-T			TCMT16	13000
RBH52-70-S			SCMT09	13000
RBH68-92-C	68-92	LBK-6	CCMT12	20000
RBH68-92-T			TCMT16	21000
RBH68-92-S			SCMT12	21000
RBH90-122-C	90-122	LBK-6	CCMT12	25000
RBH90-122-T			TCMT16	27000
RBH90-122-S			SCMT12	27000

ITEMS	LBK NO.							LENGTH	PRICE
	<b>BT40</b>	LBK-1	LBK-2	LBK-3	LBK-4	LBK-5	LBK-6	120	8000
	<b>BT40</b>	LBK-1	LBK-2	LBK-3	LBK-4	LBK-5	LBK-6	160	13500
	<b>SK40</b>	LBK-1	LBK-2	LBK-3	LBK-4	LBK-5	LBK-6	120	9000
	<b>SK40</b>	LBK-1	LBK-2	LBK-3	LBK-4	LBK-5	LBK-6	160	15000
	EXTENSION	LBK-1		LBK-2		LBK-3		30	4000
	EXTENSION	LBK-4		LBK-5		LBK-6		60	6000


MODEL	BORING RANGE	PRICE ADAPTER	PRICE HEAD	PRICE BORING BAR EACH	PRICE COMPLETE KIT	MY-NBJ-16 FINE TUNE THE PRECISION BORING SYSTEM 6 MM - 51 MM
BT40-NBJ16	6MM TO 51 MM	10000	35000	3000	40000	
BT50-NBJ16	6MM TO 51 MM	15000	35000	3000	50000	

**NBJ-16 KIT = 1 ADAPTER + NBJ16 BORING HEAD + 8 BORING BAR SELECTED + BOX**

Boring Bar Model	Boring Range D min - D max	DM	Insert	Screw	Wrench	<p>MY-NBJ-16 FINE BORING HEAD KIT 6 MM - 51 MM</p> 
BJ1606-24	6 TO 9	24	WBGT0601..L	SB-1STR-M2	T6	
BJ1608-32	8 TO 11	32	TBGT0601..L			
BJ1610-40	10 TO 13	40				
BJ1612-53	12 TO 15	53	TPGH0902..L	SB-2TR-M2.5	T8	
BJ1614-60	14 TO 17	60				
BJ1616-68	16 TO 21	68				
BJ1620-83	20 TO 26	83	TPGH1103..L	SB-3TR-M3		
BJ1625-90	25 TO 31	90				
BJ1630-90	30 TO 36	90				
BJ1635-90	35 TO 41	90				
BJ1640-90	40 TO 46	90				
BJ1645-90	45 TO 51	90				

MODEL	BORING RANGE	PRICE ADAPTER	PRICE HEAD	PRICE BORING BAR & CARTRIDGE	PRICE COMPLETE KIT	MY-NBH2084-S FINE TUNE THE PRECISION BORING SYSTEM 8 MM - 203 MM
BT40-NBH2084-S	8MM TO 203 MM	10000	30000	3000	45000	
BT50-NBH2084-S	8MM TO 203 MM	15000	30000	3000	55000	

**NBH2084-S KIT = 1 ADAPTER + NBH2084-S BORING HEAD + 5 BORING BAR + 3ENH6 CARTRIDGE+BOX**

Boring Bar Model	Boring Range D min - D max	Shank Dia	Working Length	Total Length	Applicable Insert	Clamp Screw	Wrench	<p>1 div=0.005m</p> 
BJ1608	8 TO 43	16	32	80	TBGT0601**L	M2.0X5	T6	
BJ1612	12 TO 47		53	98	TBGH0902**L	M2.5X6		
BJ1616	16 TO 51		83	115				
BJ1631	31 TO 66		90	135	TPGH1103**L	M3X8		
BJ1665	65 TO 100		90	135	TPGH1103**L	M3X8		
ENH6-1	100 TO 135	CARTRIDGE	52	60	TCMT-110204/08	M3.0X7	T8	
ENH6-2	134 TO 169				TCGT-110204/08			
ENH6-3	168 TO 203				TCGT-110204/08			