



pace SOLID CARBIDE
40/50/60 HRC

PRICE LIST 2019-20



UNGROUND FINISH CARBIDE ROD			FINISH CARBIDE ROD H6		
DIA	LENGTH	PRICE	DIA	LENGTH	PRICE
3.3	330	325	2	100	120
4.3	330	575	3	100	120
5.3	330	850	4	100	180
6.3	330	1200	5	100	285
8.3	330	2200	6	100	410
10.3	330	3250	8	100	725
12.3	330	4650	10	100	1150
14.3	330	6250	12	100	1650
16.3	330	8000	14	100	2200
20.3	330	12300	16	100	3000
			20	100	4600



PACE (INDIA)

71/3, Rama Road, DHL Building,
Near Kirti Nagar Metro Station, New Delhi-110015 (India)

☎ : 9212375182, 9212591182 ☎ 011-45541329

Email : paceindiaoffice@gmail.com, paceindiamkt@gmail.com

Website: www.paceindiatools.com



PACE CARBIDE ENDMILL, HRC50, TISIN COATING

END Mill (2F)	END Mill (4F)	↘ DIA	SHANK SIZE	FLUTE LENGTH	LENGTH	₹ PRICE
PC-2E-0.3S	PC-4E-0.3S	0.3	4	0.6	50	800
PC-2E-0.5S	PC-4E-0.5S	0.5	4	1	50	800
PC-2E-0.8S	PC-4E-0.8S	0.8	4	1.6	50	800
PC-2E-D1.0SS	PC-4E-D1.0SS	1	3	3	50	400
PC-2E-D1.0S	PC-4E-D1.0S	1	4	3	50	400
PC-2E-D1.0	PC-4E-D1.0	1	6	3	50	600
PC-2E-D1.5SS	PC-4E-D1.5SS	1.5	3	4	50	400
PC-2E-D1.5S	PC-4E-D1.5S	1.5	4	4	50	400
PC-2E-D2.0SS	PC-4E-D2.0SS	2	3	6	50	400
PC-2E-D2.0S	PC-4E-D2.0S	2	4	6	50	400
PC-2E-D2.0	PC-4E-D2.0	2	6	6	50	600
PC-2E-D2.5SS	PC-4E-D2.5SS	2.5	3	8	50	400
PC-2E-D2.5S	PC-4E-D2.5S	2.5	4	8	50	400
PC-2E-D3.0SS	PC-4E-D3.0SS	3	3	8	50	400
PC-2EL-D3.0SS	PC-4EL-D3.0SS	3	3	15	75	600
PC-2E-D3.0S	PC-4E-D3.0S	3	4	8	50	400
PC-2E-D3.0	PC-4E-D3.0	3	6	8	50	600
PC-2E-D4.0S	PC-4E-D4.0S	4	4	10	50	400
PC-2EL-D4.0S	PC-4EL-D4.0S	4	4	20	75	600
PC-2EXL-D4.0S	PC-4EXL-D4.0S	4	4	25	100	800
PC-2E-D4.0	PC-4E-D4.0	4	6	11	50	600
PC-2EL-D4.0	PC-4EL-D4.0	4	6	20	75	900
PC-2E-D5.0SS	PC-4E-D5.0SS	5	5	13	50	600
PC-2EL-D5.0SS	PC-4EL-D5.0SS	5	5	20	75	900
PC-2EXL-D5.0SS	PC-4EXL-D5.0SS	5	5	30	100	1350
PC-2E-D5.0	PC-4E-D5.0	5	6	13	50	600
PC-2E-D6.0	PC-4E-D6.0	6	6	15	50	600
PC-2EL-D6.0	PC-4EL-D6.0	6	6	18	75	900
PC-2EXL-D6.0	PC-4EXL-D6.0	6	6	25	100	1350
PC-2EXLL-D6.0	PC-4EXLL-D6.0	6	6	50	150	2100
PC-2E-D8.0	PC-4E-D8.0	8	8	20	60	900
PC-2EL-D8.0	PC-4EL-D8.0	8	8	28	100	1600
PC-2EXL-D8.0	PC-4EXL-D8.0	8	8	50	150	2500
PC-2E-D10.0	PC-4E-D10.0	10	10	25	75	1600
PC-2EL-D10.0	PC-4EL-D10.0	10	10	30	100	2300
PC-2EXL-D10.0	PC-4EXL-D10.0	10	10	50	150	3500
PC-2E-D12.0	PC-4E-D12.0	12	12	30	75	2400
PC-2EL-D12.0	PC-4EL-D12.0	12	12	35	100	3200
PC-2EXL-D12.0	PC-4EXL-D12.0	12	12	50	150	5000
PC-2EL-D16.0	PC-4EL-D16.0	16	16	40	100	5000
PC-2EXL-D16.0	PC-4EXL-D16.0	16	16	50	150	8800
PC-2E-D20.0	PC-4E-D20.0	20	20	45	100	8000
PC-2EL-D20.0	PC-4EL-D20.0	20	20	75	150	13500

SS-3mm Shank / S-4mm Shank

One stop for your complete tooling solution

PACE CARBIDE BALL NOSE, HRC50, TISIN COATING

BALL NOSE (2F)	BALL NOSE (4F)	↘ DIA	R	SHANK SIZE	FLUTE LENGTH	LENGTH	₹ PRICE
PC-2B-R0.3S	PC-4B-R0.3S	0.3	R0.15	4	0.6	50	850
PC-2B-R0.5S	PC-4B-R0.5S	0.5	R0.25	4	1	50	850
PC-2B-R0.8S	PC-4B-R0.8S	0.8	R0.4	4	1.6	50	850
PC-2B-R0.5SS	PC-4B-R0.5SS	1	R0.5	3	3	50	450
PC-2B-R0.5S	PC-4B-R0.5S	1	R0.5	4	3	50	450
PC-2B-R0.5	PC-4B-R0.5	1	R0.5	6	6	50	650
PC-2B-R0.75SS	PC-4B-R0.75SS	1.5	R0.75	3	3	50	450
PC-2B-R0.75S	PC-4B-R0.75S	1.5	R0.75	4	3	50	450
PC-2B-R1.0S	PC-4B-R1.0S	2	R1.0	4	5	50	450
PC-2B-R1.0	PC-4B-R1.0	2	R1.0	6	6	50	650
PC-2BL-R1.0	PC-4BL-R1.0	2	R1.0	6	6	75	1000
PC-2B-R1.0SS	PC-4B-R1.0SS	2	R1.0	3	5	50	450
PC-2B-R1.25SS	PC-4B-R1.25SS	2.5	R1.25	3	6	50	450
PC-2B-R1.25S	PC-4B-R1.25S	2.5	R1.25	4	6	50	450
PC-2B-R1.5SS	PC-4B-R1.5SS	3	R1.5	3	8	50	450
PC-2BL-R1.5SS	PC-4BL-R1.5SS	3	R1.5	3	12	75	650
PC-2BL-R1.5S	PC-4BL-R1.5S	3	R1.5	4	12	75	650
PC-2B-R1.5S	PC-4B-R1.5S	3	R1.5	4	8	50	450
PC-2B-R1.5	PC-4B-R1.5	3	R1.5	6	9	50	650
PC-2BL-R1.5	PC-4BL-R1.5	3	R1.5	6	9	75	1000
PC-2B-R2.0S	PC-4B-R2.0S	4	R2.0	4	20	50	450
PC-2BL-R2.0S	PC-4BL-R2.0S	4	R2.0	4	20	75	650
PC-2BXL-R2.0S	PC-4BXL-R2.0S	4	R2.0	4	25	100	900
PC-2B-R2.0	PC-4B-R2.0	4	R2.0	6	12	50	650
PC-2BL-R2.0	PC-4BL-R2.0	4	R2.0	6	12	75	1000
PC-2B-R2.5	PC-4B-R2.5	5	R2.5	5	15	50	650
PC-2BL-R2.5	PC-4BL-R2.5	5	R2.5	5	22	75	1000
PC-2BXL-R2.5	PC-4BXL-R2.5	5	R2.5	5	30	100	1500
PC-2B-R3.0	PC-4B-R3.0	6	R3.0	6	15	50	650
PC-2BL-R3.0	PC-4BL-R3.0	6	R3.0	6	22	75	1000
PC-2BXL-R3.0	PC-4BXL-R3.0	6	R3.0	6	30	100	1500
PC-2B-R4.0	PC-4B-R4.0	8	R4.0	8	20	60	1000
PC-2BL-R4.0	PC-4BL-R4.0	8	R4.0	8	28	100	1800
PC-2BXL-R4.0	PC-4BXL-R4.0	8	R4.0	8	28	150	3000
PC-2B-R5.0	PC-4B-R5.0	10	R5.0	10	25	75	1800
PC-2BL-R5.0	PC-4BL-R5.0	10	R5.0	10	30	100	2500
PC-2BXL-R5.0	PC-4BXL-R5.0	10	R5.0	10	30	150	4000
PC-2B-R6.0	PC-4B-R6.0	12	R6.0	12	25	75	2650
PC-2BL-R6.0	PC-4BL-R6.0	12	R6.0	12	30	100	3500
PC-2BXL-R6.0	PC-4BXL-R6.0	12	R6.0	12	50	150	5500
PC-2BL-R8.0	PC-4BL-R8.0	16	R8.0	16	40	100	5500
PC-4B-R10.0	PC-4B-R10.0	20	R10.0	20	40	100	9000
PC-4BL-R10.0	PC-4BL-R10.0	20	R10.0	20	70	150	15000

SS-3mm Shank / S-4mm Shank

One stop for your complete tooling solution

PACE CARBIDE ENDMILL, HRC60, NANO COATING

END Mill (2F)	END Mill (4F)	↘ DIA	SHANK SIZE	FLUTE LENGTH	LENGTH	₹ PRICE
PH-2E-D1.0S	PH-4E-D1.0S	1	4	3	50	800
PH-2E-D1.5S	PH-4E-D1.5S	1.5	4	4	50	800
PH-2E-D2.0S	PH-4E-D2.0S	2	4	6	50	800
PH-2E-D2.5S	PH-4E-D2.5S	2.5	4	8	50	800
PH-2E-D3.0S	PH-4E-D3.0S	3	4	8	50	800
PH-2E-D4.0S	PH-4E-D4.0S	4	4	10	50	800
PH-2EL-D4.0S	PH-4EL-D4.0S	4	4	20	75	1200
PH-2E-D5.0	PH-4E-D5.0	5	6	13	50	1200
PH-2E-D6.0	PH-4E-D6.0	6	6	15	50	1200
PH-2EL-D6.0	PH-4EL-D6.0	6	6	18	75	2000
PH-2E-D8.0	PH-4E-D8.0	8	8	20	60	2000
PH-2EL-D8.0	PH-4EL-D8.0	8	8	28	100	3500
PH-2E-D10.0	PH-4E-D10.0	10	10	25	75	3300
PH-2EL-D10.0	PH-4EL-D10.0	10	10	30	100	5000
PH-2E-D12.0	PH-4E-D12.0	12	12	30	75	5000
PH-2EL-D12.0	PH-4EL-D12.0	12	12	35	100	7000

PACE CARBIDE BALL NOSE, HRC60, NANO COATING

BALL NOSE (2F)	BALL NOSE (4F)	↘ DIA	R	SHANK SIZE	FLUTE LENGTH	LENGTH	₹ PRICE
PH-2B-R0.5S	PH-4B-R0.5S	1	R0.5	4	3	50	900
PH-2B-R0.75S	PH-4B-R0.75S	1.5	R0.75	4	3	50	900
PH-2B-R1.0S	PH-4B-R1.0S	2	R1.0	4	5	50	900
PH-2B-R1.25S	PH-4B-R1.25S	2.5	R1.25	4	6	50	900
PH-2B-R1.5S	PH-4B-R1.5S	3	R1.5	4	8	50	900
PH-2BL-R1.5	PH-2BL-R1.5	3	R1.5	6	12	75	1300
PH-2B-R2.0S	PH-4B-R2.0S	4	R2.0	4	20	50	900
PH-2BL-R2.0S	PH-4BL-R2.0S	4	R2.0	4	20	75	1300
PH-2BXL-R2.0	PH-4BXL-R2.0	4	R2.0	6	16	100	3000
PH-2B-R2.5	PH-4B-R2.5	5	R2.5	6	15	50	1300
PH-2B-R3.0	PH-4B-R3.0	6	R3.0	6	15	50	1300
PH-2BL-R3.0	PH-4BL-R3.0	6	R3.0	6	22	75	2000
PH-2BL-R3.0	PH-4BXL-R3.0	6	R3.0	6	30	100	3000
PH-2B-R4.0	PH-4B-R4.0	8	R4.0	8	20	60	2200
PH-2BL-R4.0	PH-4BL-R4.0	8	R4.0	8	24	100	4000
PH-2B-R5.0	PH-4B-R5.0	10	R5.0	10	25	75	4000
PH-2BL-R5.0	PH-4BL-R5.0	10	R5.0	10	30	100	5500
PH-2B-R6.0	PH-4B-R6.0	12	R6.0	12	25	75	5600
PH-2BL-R6.0	PH-4BL-R6.0	12	R6.0	12	30	100	7500

SS-3mm Shank / S-4mm Shank

One stop for your complete tooling solution

PACE CARBIDE ENDMILL, HRC40, BLACK COATING

END Mill (2F)	END Mill (4F)	↘ DIA	SHANK SIZE	FLUTE LENGTH	LENGTH	₹ PRICE
PE-2E-D0.3S	PE-4E-D0.3S	0.3	4	0.6	50	640
PE-2E-D0.5S	PE-4E-D0.5S	0.5	4	1	50	640
PE-2E-D0.8S	PE-4E-D0.8S	0.8	4	1.6	50	640
PE-2E-D1.0SS	PE-4E-D1.0SS	1	3	3	50	320
PE-2E-D1.0S	PE-4E-D1.0S	1	4	3	50	320
PE-2E-D1.0	PE-4E-D1.0	1	6	3	50	480
PE-2E-D1.5SS	PE-4E-D1.5SS	1.5	3	4	50	320
PE-2E-D1.5S	PE-4E-D1.5S	1.5	4	4	50	320
PE-2E-D2.0SS	PE-4E-D2.0SS	2	3	6	50	320
PE-2E-D2.0S	PE-4E-D2.0S	2	4	6	50	320
PE-2E-D2.0	PE-4E-D2.0	2	6	6	50	480
PE-2E-D2.5SS	PE-4E-D2.5SS	2.5	3	8	50	320
PE-2E-D2.5S	PE-4E-D2.5S	2.5	4	8	50	320
PE-2E-D3.0SS	PE-4E-D3.0SS	3	3	8	50	320
PE-2EL-D3.0SS	PE-4EL-D3.0SS	3	3	15	75	480
PE-2E-D3.0S	PE-4E-D3.0S	3	4	8	50	320
PE-2E-D3.0	PE-4E-D3.0	3	6	8	50	480
PE-2E-D4.0S	PE-4E-D4.0S	4	4	10	50	320
PE-2EL-D4.0S	PE-4EL-D4.0S	4	4	20	75	480
PE-2EXL-D4.0S	PE-4EXL-D4.0S	4	4	25	100	640
PE-2E-D4.0	PE-4E-D4.0	4	6	11	50	480
PE-2EL-D4.0	PE-4EL-D4.0	4	6	20	75	720
PE-2E-D5.0SS	PE-4E-D5.0SS	5	5	13	50	480
PE-2EL-D5.0SS	PE-4EL-D5.0SS	5	5	20	75	720
PE-2EXL-D5.0SS	PE-4EXL-D5.0SS	5	5	30	100	1080
PE-2E-D5.0	PE-4E-D5.0	5	6	13	50	480
PE-2E-D6.0	PE-4E-D6.0	6	6	15	50	480
PE-2EL-D6.0	PE-4EL-D6.0	6	6	18	75	720
PE-2EXL-D6.0	PE-4EXL-D6.0	6	6	25	100	1080
PE-2EXLL-D6.0	PE-4EXLL-D6.0	6	6	50	150	1680
PE-2E-D8.0	PE-4E-D8.0	8	8	20	60	720
PE-2EL-D8.0	PE-4EL-D8.0	8	8	28	100	1280
PE-2EXL-D8.0	PE-4EXL-D8.0	8	8	50	150	2000
PE-2E-D10.0	PE-4E-D10.0	10	10	25	75	1280
PE-2EL-D10.0	PE-4EL-D10.0	10	10	30	100	1840
PE-2EXL-D10.0	PE-4EXL-D10.0	10	10	50	150	2800
PE-2E-D12.0	PE-4E-D12.0	12	12	30	75	1920
PE-2EL-D12.0	PE-4EL-D12.0	12	12	35	100	2560
PE-2EXL-D12.0	PE-4EXL-D12.0	12	12	50	150	4000
PE-2EL-D16.0	PE-4EL-D16.0	16	16	40	100	4000
PE-2EXL-D16.0	PE-4EXL-D16.0	16	16	50	150	7040
PE-2E-D20.0	PE-4E-D20.0	20	20	45	100	6400
PE-2EL-D20.0	PE-4EL-D20.0	20	20	75	150	10800

SS-3mm Shank / S-4mm Shank

One stop for your complete tooling solution

PACE CARBIDE BALL NOSE, HRC40, BLACK COATING

BALL NOSE (2F)	BALL NOSE (4F)	↘ DIA	R	SHANK SIZE	FLUTE LENGTH	LENGTH	₹ PRICE
PE-2B-R0.3S	PE-4B-R0.3S	0.3	R0.15	4	0.6	50	680
PE-2B-R0.5S	PE-4B-R0.5S	0.5	R0.25	4	1	50	680
PE-2B-R0.8S	PE-4B-R0.8S	0.8	R0.4	4	1.6	50	680
PE-2B-R0.5SS	PE-4B-R0.5SS	1	R0.5	3	3	50	360
PE-2B-R0.5S	PE-4B-R0.5S	1	R0.5	4	3	50	360
PE-2B-R0.5	PE-4B-R0.5	1	R0.5	6	6	50	520
PE-2B-R0.75SS	PE-4B-R0.75SS	1.5	R0.75	3	3	50	360
PE-2B-R0.75S	PE-4B-R0.75S	1.5	R0.75	4	3	50	360
PE-2B-R1.0S	PE-4B-R1.0S	2	R1.0	4	5	50	360
PE-2B-R1.0	PE-4B-R1.0	2	R1.0	6	6	50	520
PE-2BL-R1.0	PE-4BL-R1.0	2	R1.0	6	6	75	800
PE-2B-R1.0SS	PE-4B-R1.0SS	2	R1.0	3	5	50	360
PE-2B-R1.25SS	PE-4B-R1.25SS	2.5	R1.25	3	6	50	360
PE-2B-R1.25S	PE-4B-R1.25S	2.5	R1.25	4	6	50	360
PE-2B-R1.5SS	PE-4B-R1.5SS	3	R1.5	3	8	50	360
PE-2BL-R1.5SS	PE-4BL-R1.5SS	3	R1.5	3	12	75	520
PE-2BL-R1.5S	PE-4BL-R1.5S	3	R1.5	4	12	75	520
PE-2B-R1.5S	PE-4B-R1.5S	3	R1.5	4	8	50	360
PE-2B-R1.5	PE-4B-R1.5	3	R1.5	6	9	50	520
PE-2BL-R1.5	PE-4BL-R1.5	3	R1.5	6	9	75	800
PE-2B-R2.0S	PE-4B-R2.0S	4	R2.0	4	20	50	360
PE-2BL-R2.0S	PE-4BL-R2.0S	4	R2.0	4	20	75	520
PE-2BXL-R2.0S	PE-4BXL-R2.0S	4	R2.0	4	25	100	720
PE-2B-R2.0	PE-4B-R2.0	4	R2.0	6	12	50	520
PE-2BL-R2.0	PE-4BL-R2.0	4	R2.0	6	12	75	800
PE-2B-R2.5	PE-4B-R2.5	5	R2.5	5	15	50	520
PE-2BL-R2.5	PE-4BL-R2.5	5	R2.5	5	22	75	800
PE-2BXL-R2.5	PE-4BXL-R2.5	5	R2.5	5	30	100	1200
PE-2B-R3.0	PE-4B-R3.0	6	R3.0	6	15	50	520
PE-2BL-R3.0	PE-4BL-R3.0	6	R3.0	6	22	75	800
PE-2BXL-R3.0	PE-4BXL-R3.0	6	R3.0	6	30	100	1200
PE-2B-R4.0	PE-4B-R4.0	8	R4.0	8	20	60	800
PE-2BL-R4.0	PE-4BL-R4.0	8	R4.0	8	28	100	1440
PE-2BXL-R4.0	PE-4BXL-R4.0	8	R4.0	8	28	150	2400
PE-2B-R5.0	PE-4B-R5.0	10	R5.0	10	25	75	1440
PE-2BL-R5.0	PE-4BL-R5.0	10	R5.0	10	30	100	2000
PE-2BXL-R5.0	PE-4BXL-R5.0	10	R5.0	10	30	150	3200
PE-2B-R6.0	PE-4B-R6.0	12	R6.0	12	25	75	2120
PE-2BL-R6.0	PE-4BL-R6.0	12	R6.0	12	30	100	2800
PE-2BXL-R6.0	PE-4BXL-R6.0	12	R6.0	12	50	150	4400
PE-2BL-R8.0	PE-4BL-R8.0	16	R8.0	16	40	100	4400
PE-2B-R10.0	PE-4B-R10.0	20	R10.0	20	40	100	7200
PE-2BL-R10.0	PE-4BL-R10.0	20	R10.0	20	70	150	12000

SS-3mm Shank / S-4mm Shank

One stop for your complete tooling solution